

Better Air. Better Life.™

www.airocide.com





IMPORTANT SAFETY INFORMATION



READ AND SAVE THESE INSTRUCTIONS



The Airocide® unit should be used only as recommended in this manual. Failure to follow recommendations can result in serious injury.

- Keep children away from the unit and supervise them when they are near it.
- · Do not drop or insert objects into any openings in the unit.
- Do not disassemble the unit, except for removal of the fascia to replace the Reaction Chambers.



The Airocide unit, like all electrical appliances, presents the risk of fire, electric shock, and the potential for serious injury or death if improperly used. Always follow these precautions:

- Plug the unit directly into a 120V AC electrical outlet. DO NOT use extension cords or adapter plugs.
- This unit has a three prong, grounded plug. Use only in a compatible outlet that is installed and grounded in accordance with electrical codes and ordinances. DO NOT alter the plug or force it into any outlet.
- DO NOT use the unit if the cord or plug are damaged.
- Keep the cord out of heavy traffic areas. To avoid fire hazard, DO NOT put the cord under rugs, furniture or appliances, near heat registers, radiators, stoves or heaters.
- DO NOT run the cord under carpeting. DO NOT cover the cord with throw rugs, runners, or similar coverings. DO NOT route the cord under furniture or appliances. Arrange cord away from traffic areas where it might present a tripping hazard.
- DO NOT immerse the unit in water or other liquids or pour water or liquids on the unit.
- DO NOT use the unit with any solid-state speed control devices, such as a dimmer switch, that controls power to the unit.
- DO NOT operate the unit where combustible gases or vapors are present.

Table of Contents

Clear Air Revolution	2
How it Works	3
Frequently Asked Questions	6
Airocide® Works Guarantee	9
Warranty	11
Contact Us	12

Welcome to the Clear Air Revolution

You just gave yourself and your family an invaluable gift. Clear air. When the air is clear, you are suddenly elevated. Your home becomes a sanctuary where you have the freedom to enjoy more, do more, play more and even be more.

We want to thank you for making the incredible decision to join the clear air revolution. More importantly, every day when you wake up feeling better than you ever thought possible, you'll thank yourself for making the clear choice.

In this booklet you will find easy-to-use operating instructions, our technology overview, frequently asked questions, warranty information and our 60-day money back guarantee. Talk about a different kind of air purifier! Well, it's a different kind of technology from a different kind of company. Welcome to a whole new you.

The Airocide® Technology

Airocide draws in harmful airborne pathogens and forces them into a densely packed matrix of highly reactive catalysts that are activated by a high intensity 254-nanometer light. The reaction destroys these harmful pathogens on contact. Nothing is captured so there is nothing to clean. All that exits is crisp, clear air.

How it Works

Watch Our Set Up Video at www.airocide.com/setup


Helpful Hints Before Using the Airocide® Air Purifier

- Identify where you will place the unit. We recommend placing Airocide in your bedroom on a sturdy object: shelf, nightstand, dresser, desk or use our wall mount or floor stand accessory. Airocide should be placed anywhere from one to eight feet off of the floor.
- 2. Place Airocide so it is exposed to air circulation. This means the top, front and two of the side panels needs to be exposed for proper airflow. Do not place Airocide in an enclosed space like a bookshelf, butted up against a bookshelf or directly next to any piece of furniture.
- Airocide should run 24 hours a day, seven days a week for optimal benefits. Turning your unit off when you are not home will not provide the maximum results.

Simple Set Up Instructions

- 1. Remove your Airocide unit from the box and protective packaging from around the unit.
- 2. (Optional) If you have a decorative sleeve for your Airocide, simply slide it on or off gently from the back of the unit.
- 3. Unwrap the grill plate from the protective sleeve and gently place it on the front of the unit. The grill simply attaches with magnetic latches. Note: When moving your Airocide, you may notice a rattling sound within the unit, do not worry. This is nothing to be concerned about, it is simply the inner pieces of the unit shifting. This is normal.


- 4. Place the unit on your identified location within home. The unit can be placed horizontally or vertically depending on your location and preference.
- 5. Plug it in. Your Airocide® uses .5 amps at 120 volts (the same as a 60 watt light bulb). Note: For the first few days, you may notice a slight smell from your unit. This smell will naturally dissipate within a few days use.
- 6. Locate the on/off button on the backside of the unit and press it until you notice the touch controls illuminate to indicate power to the unit. Your Airocide is up and running on the high setting. Continue reading to learn more about settings.



Settings

To adjust mode, simply touch the appropriate icon on your Airocide®





Low - The low setting turns the unit to a slow speed. While this setting is not recommended for optimal results, you may choose to change to a low setting for sleeping if you like a quiet sleeping environment. In which case, you might consider the automatic setting, which will do that for you automatically.



Operating Modes

Normal Operating Mode

When the power switch is in the "on" position, the front grill is installed and no error condition is detected, one of the icon lights will indicate the "active" mode (low, high or automatic icons as referenced on page 5). The "active" mode indicator light will be bright when the "active" mode is first selected, then will dim after 10 seconds and remain on until another mode button is pressed again.

Grill Removed Mode

If the front grill is removed while the power switch is in the "on" position, the unit will go into "standby" mode and the "active" mode indicator light will flash brightly.

Error Mode

If the front grill is installed with the power switch in the "on" position and one or both of the Reaction Chambers is missing, non-functional or not seated properly, the unit will enter "standby" mode, causing all of the indicator lights to flash brightly. This condition can be automatically cleared by correctly installing two functional Reaction Chambers.

Change Reaction Chamber Mode

When the Reaction Chambers need to be changed (once a year), the "active" mode indicator light will flash dimly. Your Airocide will not be effective in terms of removing pathogens in any manner at this point and new Reaction Chambers need to be installed. See Maintenance and Cleaning section for details.

No Lights

Indicator lights function only when the unit is plugged in and the power button is in the "on" position.

Maintenance and Cleaning

- 1. When the indicator light starts blinking (should be in about a year), you'll need to change the two Reaction Chambers inside your unit. To order new Reaction Chambers, go to www.airocide.com. Your replacement kit will contain all of the information needed to simply change out the Reaction Chambers and we will even supply you with a pre-paid shipping label to return the used Reaction Chambers for recycling.
- 2. If you happen to spill something on the outside of your Airocide®, use a damp clean cloth to wipe down.
- 3. There is nothing to clean within your unit, simply dust it as you would any other item in your home.

Available Accessories

- 1. Decorative Sleeve
- 2. Floor Stand
- 3. Wall Mount
- 4. Replacement Reaction Chamber Kit

For a complete description of the accessories and pricing please visit **www.airocide.com**.





Frequently Asked Questions

Q: What size space can Airocide® cover?

A: Airocide is meant for single room use. It can accommodate a room of any size - small to large.

Q: Can I have my windows open?

A: Airocide will work with windows open or closed, but is most effective with the windows closed. If you are an allergy or asthma sufferer, however, experts recommend closed windows.

Q: My Airocide feels warm to touch on one side.

A: This is normal. The unit is drawing in power from that side.

Q: Do all sides need to be in the flow of air?

A: No, to be effective the top, front and two sides of the unit need to be in the flow of air.

Q: I heard a rattling sound when I took my Airocide out of the box. Is it broken?

A: No. This is the sound of the inner pieces simply shifting. This is normal and nothing is wrong with your product.

Q: Is there any maintenance?

A: About once a year you will need to change the Reaction Chambers. See page 7 for details.

Q: What type of allergens can your air purifier remove from the air?

A: Our patented bioconversion process grabs fungi, mold, viruses, bacteria and more and disassembles them at their molecular level. Airocide also clears the air of virtually 100% of Volatile Organic Compounds (VOCs) - the harmful gasses emitted by products like aerosol sprays, cleaning supplies, disinfectants, hobby supplies, drycleaned clothing, building materials, paints and paint thinner, strippers, pesticides and even air fresheners.

The 60-Day Guarantee*

Try Airocide® in your home for at least six weeks, and if you don't feel better, we'll give you your money back. In fact, you may notice a difference sooner - typically Airocide users feel better between four and six weeks. Learn how Airocide has improved the lives of others at www.airocide.com/testimonials.

For guarantee information and product registration please visit **www.airocide.com**.



*Consumers have up to 60-days from purchase date to return the unit for a full refund and must provide proof of date of purchase. To receive money back, the unit must be functional, undamaged, and unaltered.

NASA to Now

NASA had a problem. They needed a technology to help the astronauts on the International Space Station take the ethylene gas emitted by plants out of the air. So, they created Airocide.

Fast-forward to 1998: Food packers, florists and grocery chains began to use Airocide to extend the shelf life of flowers, fruits and vegetables. (This one-of-a-kind technology helps save a portion of the 27 billion pounds of produce lost to spoilage each year.)

In 2003 Airocide was introduced to hospitals, clinics, emergency rooms, dental offices and daycare centers to help stem the spread of infectious disease. Further studies consistently demonstrate dramatic reductions in mold and bacteria counts.

Today, Airocide comes home to you with air purification technology so scientifically advanced it goes far beyond that of traditional filters or electrostatic plates. This bio-conversion technology eliminates virtually 100% of the harmful airborne pathogens in your home that can cause illness, including asthma and allergies. And when you're breathing cleaner air, you sleep better, feel better and have more energy.



Five Year Limited Warranty

Please register your product at **www.airocide.com/guarantee.** You will need your serial number to register. This number can be found on the side panel of the shipping carton, the bottom of the product carton and on the back of your unit next to the power cord.

Akida Holdings LLC (hereinafter referred to as the "Company") is pleased to offer the first End User Purchaser ("Consumer") of an Airocide® Air Purification System a 60-month Limited Warranty, starting from the date of purchase and subject to the following Terms and Conditions.

Terms & Conditions

- 1. The Limited Warranty covers defects in materials or workmanship in the unit for the time period stated above. If there is a defect, and the defect is the result of faulty materials and/or workmanship, the Company or its authorized Franchisee, Dealer, Distributor, or designated agent (collectively referred to as "Authorized Representative") will, at its discretion, either repair or replace the defective components or the unit. If a defect cannot be repaired within a reasonable number of attempts, the Consumer may elect to either have the unit replaced or obtain a refund of the purchase price.
- 2. If the unit is found not to have a defect in material or workmanship, the Consumer, if it so desires, may make arrangements to have the unit repaired by the Company. Charges for repairs of this nature, if carried out, shall be paid by the Consumer.
- 3. In order to repair the Airocide unit and restore it to a fully operational condition, the Company may alter the unit and utilize parts of a differing, but similar, design. Any part of the unit that is replaced may be replaced

- with either new or refurbished parts. Any part that is replaced will become the property of the Company.
- 4. While the Company will make every effort to expeditiously provide warranty service, the Company shall not be required to do so within a specific period of time.
- 5. The repair or replacement of the unit or parts under this Warranty shall not extend the warranty beyond the time period stated above.
- 6. The Company's employees or dealers have no authority to vary the terms of this Warranty.
- 7. Continued use or possession of the goods after expiration of the warranty period shall be conclusive evidence that the warranty was fulfilled to the full satisfaction of the Consumer.

Contact Us

If you believe there is a defect in materials or workmanship in the product during the warranty period, you can contact Airocide® to request warranty service.

When contacting Airocide to request warranty service, you should be ready to describe the problem with the unit and provide some type of proof of the original date of purchase, unless you previously registered the product. Airocide can be contacted by mail, telephone, or through the internet. Phone calls need to be made between the hours of 8 AM and 10:00 PM ET Monday through Friday.

Akida Holdings LLC 13500 Sutton Park Dr. South Suite 501 Jacksonville, FL 32224 Telephone: 1-800-687-3100 email: info@airocide.com www.airocide.com/warranty If the unit is sent to the Company for warranty service, the cost of the transportation of the unit to and from the Company service center, or that of an Authorized Representative shall be borne by the Consumer, unless Company and the Consumer agree otherwise, in writing. The Company shall not be responsible for any units lost or misplaced in transit, so the Consumer is encouraged to purchase insurance for the unit during shipping.

If the unit is not accepted for warranty service or if the Company determines that the issue with the unit is not the result of a defect in materials or workmanship, the Company shall provide a description of the cause of the issue. If the Consumer disagrees with the Company's determination, prior to pursuing any other remedy, the Consumer must appeal that decision to the Company's Warranty Administrator by sending a letter to the address listed on page 12 explaining why warranty service should be provided. The Warranty Administrator shall have 30 days to respond, and the Consumer shall consider that response for 30 days prior to pursing any other remedy.

Exceptions & Exclusions

The warranty does not cover damage caused by the user, alterations, abuse, misuse, neglect, improper installation, non-observance of operating instructions, accidents, improper use, unauthorized repair, catastrophe/natural disaster, power surges, and normal wear and tear.

The Warranty will cease to be valid if any of the original serial numbers are removed or defaced or if the unit is removed from the country in which it was originally purchased.

Disclaimer of Implied Warranties and Other Liabilities:

Please read the following disclaimers and limitations carefully.

There are no warranties that extend beyond the description on the face hereof.

The seller undertakes no responsibility for the quality of the goods except as otherwise provided herein.

The seller assumes no responsibility that the goods will be fit for any particular purpose for which you may be buying these goods, except as otherwise provided herein.

* *

This limited warranty is in lieu of all other express or implied warranties of merchantability.

* * *

To the extent that the applicable law does not permit disclaimers of certain implied warranties, any applicable implied warranty shall be limited to the express warranty period stated herein.

Company's liability is limited solely to repair or replacement.

In no event, shall the Company be liable for incidental and consequential damages.

But, if Company is liable for any reason on any claim - whether based on a statute, contract, warranty, or tort damage to property - Company's total liability shall be limited to the purchase price of the product, except where prohibited by law.

ETL



This product has been tested and complies with UL 507, CSA C22.2 No. 113, FCC 47CFR Part 15 (Subpart B, Class B), ICES-003 and the California Air Resources Board (CARB) requirements.

FCC



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Notice for Customers in Canada:

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with

the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CARB

This air cleaner complies with the federal ozone emissions limit.

ARB CERTIFIED

This air cleaner complies with the Federal Ozone Emissions limit and is ARB Certified by the California Environmental Protection Agency's Air Resource Board.







www.airocide.com